

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	10	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (monotonic adj counter same security)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 18:14
S9	15	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((windows NT "2000") with file with permission\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 19:16
S10	2	("6343324" "6189146").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 12:53
S11	2	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("9904374" "10157503").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/29 16:33
S12	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and "51556803"	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 18:03
S13	62	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and "5155680"	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 15:02
S14	263	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and firewall and register\$1 and (random with (seed\$1 or number\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 19:16
S15	32611	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and firewall and register\$1 and (random with (seed\$1 or number\$1)) and counter (power with sav\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 08:47
S16	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and firewall and register\$1 and (random with (seed\$1 or number\$1)) and counter and (power with sav\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/13 14:11
S17	101	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and firewall and register\$1 and (random with (seed\$1 or number\$1)) and counter	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 15:54

S18	37	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and firewall and register\$1 and (random with (seed\$1 or number\$1)) and counter and "713"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:10
S19	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (add adj1 on with encrypt\$3) and "713"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 15:34
S20	5	("6343338" "4562306" "6397306" "6195723" "6502150").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 15:35
S21	268	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (certification adj authority same security)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 16:00
S22	14	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (certification adj authority same security same hardware)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 16:07
S23	544	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj mode)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 16:08
S24	169	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj mode) and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 16:08
S25	91	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj mode) and modes and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/11 16:09
S26	75	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj mode) and modes and ("713"/\$.ccls. or "380"/\$.ccls.)	USPAT; EPO	OR	OFF	2004/10/11 16:18
S27	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with firewall same (insert or interior)) and ("713"/\$.ccls. or "380"/\$.ccls.)	USPAT; EPO	OR	OFF	2004/10/11 16:12
S28	67	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with firewall) and ("713"/\$.ccls. or "380"/\$.ccls.)	USPAT; EPO	OR	OFF	2004/10/11 16:20

S29	71	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access adj control with hardware) and ("713"/\$.ccls. or "380"/\$.ccls.)	USPAT; EPO	OR	OFF	2004/10/11 16:19
S30	654	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (713/182.ccls. 713/183.ccls. 713/184.ccls. 713/185.ccls. "713"/.186.ccls.)	USPAT; EPO	OR	OFF	2004/10/11 16:24
S31	6	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (713/182.ccls. 713/183.ccls. 713/184.ccls. 713/185.ccls. "713"/.186.ccls.) and (security adj mode)	USPAT; EPO	OR	OFF	2004/10/11 16:24
S32	4344	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and clipper	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/12 10:21
S33	4344	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (clipper)"ab."	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/12 10:21
S34	80	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (clipper same random)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/12 10:23
S35	24	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (clipper same escrow)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/12 10:28
S36	203	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (key adj escrow)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/12 10:28
S37	141	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (key adj escrow)	USPAT; EPO	OR	OFF	2004/10/12 17:56
S38	133	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and brands.in.	USPAT; EPO	OR	OFF	2004/10/12 17:56
S39	2	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and brands.in. and lauffer.xp.	USPAT; EPO	OR	OFF	2004/10/12 18:26
S40	93	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (double with authentication)	USPAT; EPO	OR	OFF	2004/10/12 18:27

S41	17	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (double with authentication) and "380"/\$.ccls.	USPAT; EPO	OR	OFF	2004/10/12 18:28
S42	26	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (both with parties with authentication) and "380"/\$.ccls.	USPAT; EPO	OR	OFF	2004/10/12 18:30
S43	11	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (indirect with authentication) and "380"/\$.ccls.	USPAT; EPO	OR	OFF	2004/10/12 18:33
S44	3	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (mutual with authentication same benefit) and "380"/\$.ccls.	USPAT; EPO	OR	OFF	2004/10/12 20:07
S45	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication with signature and multitask\$3).ab.	USPAT; EPO	OR	OFF	2004/10/12 20:13
S46	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication with signature).ab. and multitask\$3	USPAT; EPO	OR	OFF	2004/10/12 20:28
S47	7	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication with signature) and multitask\$3	USPAT; EPO	OR	OFF	2004/10/12 20:13
S48	12	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication with signature).ab.	USPAT; EPO	OR	OFF	2004/10/12 20:12
S49	162	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication with signature)	USPAT; EPO	OR	OFF	2004/10/12 20:13

S50	3	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication with hash).ab.	USPAT; EPO	OR	OFF	2004/10/13 14:09
S51	65	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication with hash)	USPAT; EPO	OR	OFF	2004/10/12 20:12
S52	145	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) with authentication same hash)	USPAT; EPO	OR	OFF	2004/10/12 20:10
S53	259	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) same authentication same hash)	USPAT; EPO	OR	OFF	2004/10/12 20:10
S54	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) same authentication and hash) and mutlitask\$5	USPAT; EPO	OR	OFF	2004/10/12 20:10
S55	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) same authentication and hash and mutlitask\$5)	USPAT; EPO	OR	OFF	2004/10/12 20:10
S56	1065	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) same authentication and hash)	USPAT; EPO	OR	OFF	2004/10/12 20:10
S57	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((computer\$1 or machine\$1 or server\$1) same authentication and mutlitask\$3)	USPAT; EPO	OR	OFF	2004/10/12 20:09
S58	408	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (trust\$2 adj system\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/13 14:12

S59	167	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (trust\$2 adj system\$1) and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/17 10:54
S60	111	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (trust\$2 adj system\$1) and ("713"/\$.ccls. or "380"/\$.ccls.)	USPAT; EPO	OR	OFF	2004/10/13 14:14
S61	80	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (trust\$2 adj system\$1) and ("713"/\$.ccls. or "380"/\$.ccls.) and random	USPAT; EPO	OR	OFF	2004/10/13 14:18
S62	288	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with control\$3 with access) and ("713"/\$.ccls. or "380"/\$.ccls.)	USPAT; EPO	OR	OFF	2004/10/13 14:19
S63	99	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with control\$3 with access) and ("713"/\$.ccls. or "380"/\$.ccls.) and (random and processors)	USPAT; EPO	OR	OFF	2004/10/13 14:20
S64	10	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/17 10:56
S65	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj2 session same limited near2 time)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/17 10:56
S66	80	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with limited near2 time) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/17 10:57
S67	58168	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with limited near2 time) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) ("380"/\$ "713"/\$ "709"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/17 10:57

S68	29	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with limited near2 time) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).cccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/17 11:03
S69	11	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with limited near2 time) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/17 11:12
S70	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with limited near2 time with minute) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/17 11:13
S71	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with time with force\$3 adj4 exit) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/17 11:14
S72	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with time with force\$3 with exit) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/17 11:15
S73	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with countdown with exit) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/18 10:03

S74	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with countdown ) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 11:19
S75	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with single with timer ) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 11:19
S76	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with single with timer ) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/11/01 17:28
S77	28	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with timer ) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:29
S78	147	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((couple\$1 adj2 processor) same (microsoft NT windows "2000")) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 adj2 processor same computer)and (microsoft NT windows "2000"))	USPAT; EPO	OR	OFF	2004/10/17 18:11
S79	147	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((couple\$1 adj2 processor) same (microsoft NT windows "2000"))	USPAT; EPO	OR	OFF	2004/10/17 18:10
S80	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with "coupled to processor")	USPAT; EPO	OR	OFF	2004/10/17 18:06



S81	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with "coupled to" adj1 processor) and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 18:05
S82	369	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with coupled to adj1 processor) and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 18:05
S83	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with to near2 couple\$1 adj2 processor same computer)and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 18:05
S84	24	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 adj2 processor same computer)and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 18:10
S85	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with "couple\$1" near1 processor same computer)and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 18:04
S86	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (((hard adj1 drive) or HD) with ("couple\$" adj1 processor))and (microsoft NT windows "2000") not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 near1 processor same computer)and (microsoft NT windows "2000"))	USPAT; EPO	OR	OFF	2004/10/17 18:03
S87	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with "couple\$1 to" near1 processor same computer)and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 18:04

S88	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (((hard adj1 drive) or HD) with ("couple\$ to" adj1 processor))and (microsoft NT windows "2000") not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 near1 processor same computer)and (microsoft NT windows "2000"))	USPAT; EPO	OR	OFF	2004/10/17 18:03
S89	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (((hard adj1 drive) or HD) with ("couple\$d to" adj1 processor))and (microsoft NT windows "2000") not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 near1 processor same computer)and (microsoft NT windows "2000"))	USPAT; EPO	OR	OFF	2004/10/17 18:04
S90	24	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 near1 processor same computer)and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 18:04
S91	55	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 with processor same computer)and (microsoft NT windows "2000")	USPAT; EPO	OR	OFF	2004/10/17 17:56
S92	10	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 with processor same computer) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 17:55
S93	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (((hard adj1 drive) or HD) with ("couple\$d to" adj1 processor)) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 near1 processor same computer)and (microsoft NT windows "2000"))	USPAT; EPO	OR	OFF	2004/10/17 18:03

S94	75	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 with processor same computer)	USPAT; EPO	OR	OFF	2004/10/17 17:54
S95	110	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive with couple\$1 with processor)	USPAT; EPO	OR	OFF	2004/10/17 17:54
S96	8	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hard adj1 drive near2 couple\$1 near2 processor)	USPAT; EPO	OR	OFF	2004/10/17 17:53
S97	5	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with BIOS with update)	USPAT; EPO	OR	OFF	2004/10/17 17:47
S98	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("random number generator" with request with protect\$3)	USPAT; EPO	OR	OFF	2004/10/17 17:14
S99	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("random number generator" near4 secure adj access)	USPAT; EPO	OR	OFF	2004/10/17 17:30
S10 0	5097	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("random number generator")	USPAT; EPO	OR	OFF	2004/10/17 17:14
S10 1	1099	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj access)	USPAT; EPO	OR	OFF	2004/10/17 17:30
S10 2	9	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("random number generator" near4 protect\$3)	USPAT; EPO	OR	OFF	2004/10/17 17:30
S10 3	53	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("random number generator" with protect\$3)	USPAT; EPO	OR	OFF	2004/10/17 17:14
S10 4	6	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj access near3 processor)	USPAT; EPO	OR	OFF	2004/10/17 17:34

S10 5	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("random number generator" with request with protect)	USPAT; EPO	OR	OFF	2004/10/17 17:14
S10 6	76	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("random number generator" with request)	USPAT; EPO	OR	OFF	2004/10/17 17:14
S10 7	53	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (protect\$3 with "random number generator")	USPAT; EPO	OR	OFF	2004/10/17 17:14
S10 8	20	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (angelo).in. and (box).ti.	USPAT; EPO	OR	OFF	2004/10/17 17:06
S10 9	27	(angelo).in. and (box).ti.	USPAT; EPO	OR	OFF	2004/10/17 16:36
S11 0	12	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("black box" with security adj device)	USPAT; EPO	OR	OFF	2004/10/17 16:36
S11 1	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("black box" with security adj device).ti.	USPAT; EPO	OR	OFF	2004/10/17 16:34
S11 2	97	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("black box" with security)	USPAT; EPO	OR	OFF	2004/10/17 16:33
S11 3	0	"security control for personal computer"	USPAT; EPO	OR	OFF	2004/10/17 16:32
S11 4	28	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (password adj protected near2 file\$1)	USPAT; EPO	OR	OFF	2004/10/17 16:36
S11 5	0	"8632892".pn.	USPAT; EPO	OR	OFF	2004/10/17 16:31
S11 6	1	"5751950".pn.	USPAT; EPO	OR	OFF	2004/10/17 16:32
S11 7	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (memory with access with (token or card)same (restricted adj2 memory))	USPAT; EPO	OR	OFF	2004/10/17 16:15

S11 8	5	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (memory with restrict with access with (token or card))	USPAT; EPO	OR	OFF	2004/10/17 16:02
S11 9	1	"5485519".pn.	USPAT; EPO	OR	OFF	2004/10/17 15:39
S12 0	2	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (logon with (windows NT) with (token or card))	USPAT; EPO	OR	OFF	2004/10/17 16:01
S12 1	3	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (restrict\$3 with access with (token or card) same random)	USPAT; EPO	OR	OFF	2004/10/17 15:27
S12 2	269	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (restrict\$3 with access with (token or card))	USPAT; EPO	OR	OFF	2004/10/17 15:31
S12 3	1	"5155680".pn. and (random number encrypt\$3)	USPAT; EPO	OR	OFF	2004/10/17 15:24
S12 4	28	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (windows with logon) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/17 15:24
S12 5	1	"6647498".pn.	USPAT; EPO	OR	OFF	2004/10/17 15:13
S12 6	131	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (Microsoft same timer) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (windows same timer).ab. and ("380"/\$ "713"/\$ "709"/\$).cccls.)	USPAT; EPO	OR	OFF	2004/10/17 15:42
S12 7	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (Microsoft same timer).ab. not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (windows same timer).ab. and ("380"/\$ "713"/\$ "709"/\$).cccls.)	USPAT; EPO	OR	OFF	2004/10/17 15:26
S12 8	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (windows same timer).ab. and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/17 14:40

S12 9	12	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (single with timer same computer).ab.	USPAT; EPO	OR	OFF	2004/10/17 14:25
S13 0	41	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (windows same timer).ab.	USPAT; EPO	OR	OFF	2004/10/17 14:26
S13 1	13	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (windows with timer).ab.	USPAT; EPO	OR	OFF	2004/10/17 14:26
S13 2	221	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (single with timer same computer)	USPAT; EPO	OR	OFF	2004/10/17 14:24
S13 3	1	"5748888".pn. and time	USPAT; EPO	OR	OFF	2004/10/17 14:04
S13 4	6	(Darago).in.	USPAT; EPO	OR	OFF	2004/10/17 14:03
S13 5	0	(Darago).in. and (((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((count or meausre) with time with session)and ("380"/\$ "713"/\$ "709"/\$).ccls.) or ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (kerberos same time)) or ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (kerberos with secure same time )) or ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((time or timing) adj2 session)and ("380"/\$ "713"/\$ "709"/\$).ccls.) or ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((time or timing) adj2 session)and ("380"/\$ "713"/\$ "709"/\$).ccls.) or ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((time) adj1 session)and ("380"/\$ "713"/\$ "709"/\$).ccls.))	USPAT; EPO	OR	OFF	2004/10/17 13:25

S13 6	0	(Darago).in. and (((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((requir\$3 prompt\$3) with (password authorization) with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls. not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (prompt\$3 with password with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls.)) or ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((requir\$3 prompt\$3) with (password authorization) with (Continuously constantly Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$). ccls. not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (prompt\$3 with password with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls.)) or US-20010010076-A1.DID. or (US-20010010076-A1.DID. and ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with limited near2 time) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).ccls.)) or ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with (count adj1 down)) ) )	USPAT; EPO	OR	OFF	2004/10/17 13:23
S13 7	1	"5748888".pn.	USPAT; EPO	OR	OFF	2004/10/17 13:22
S13 8	3	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with (count adj1 down))	USPAT; EPO	OR	OFF	2004/10/17 14:24

S13 9	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with (count adj1 down)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 15:18
S14 0	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with (count with down)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 17:54
S14 1	86	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with (expire\$1 or expiration)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 13:05
S14 2	5	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with down with tim\$3)and ("380"/\$ "713"/\$ "709"/\$).ccls. not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (prompt\$3 with password with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls.)	USPAT; EPO	OR	OFF	2004/10/17 16:33
S14 3	35	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((requir\$3 prompt\$3) with (password authorization) with (Continuously constantly Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$). ccls. not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (prompt\$3 with password with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls.)	USPAT; EPO	OR	OFF	2004/10/17 13:03



S14 4	34	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((requir\$3 prompt\$3) with (password authorization) with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls. not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (prompt\$3 with password with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls.)	USPAT; EPO	OR	OFF	2004/10/17 12:55
S14 5	9	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (prompt\$3 with password with (Frequently repeat\$3 "from time" sometimes "so often" "now and then"))and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:52
S14 6	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((timing) adj1 session)and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:48
S14 7	181	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((time) adj1 session)and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:47
S14 8	428	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((time) adj2 session)and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:47
S14 9	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((time or timing) adj2 secure adj session)and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:46
S15 0	437	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((time or timing) adj2 session)and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 14:26
S15 1	22	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((count or meausre) with time with session)and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:43

S15 2	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with time same (expaire\$1 or exaparation)) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:30
S15 3	1051	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with time) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/17 12:29
S15 4	78	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (kerberos same time)	USPAT; EPO	OR	OFF	2004/10/17 12:28
S15 5	6	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (kerberos with secure same time )	USPAT; EPO	OR	OFF	2004/10/17 12:28
S15 6	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (kerberos same time with limit)	USPAT; EPO	OR	OFF	2004/10/17 12:28
S15 7	10	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (PGP and security with disk) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/18 10:39
S15 8	47	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (file with restrict with access) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/18 10:20
S15 9	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (PGP and mount with disk) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/18 10:39
S16 0	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (PGP with mount with disk) and ("380"/\$ "713"/\$ "709"/\$).ccls.	USPAT; EPO	OR	OFF	2004/10/18 10:04

S16 1	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access with file\$1 with encrypt same restrict\$3) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/18 10:04
S16 2	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access with file\$1 with encrypt with restrict\$3) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/18 10:03
S16 3	27	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with reference adj monitor)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/20 20:15
S16 4	1	"5748888".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/20 20:15
S16 5	10	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access adj control with hardware) and 710/200,8. cccls. 380/286,44,46,47	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/20 20:28
S16 6	12	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access adj control with hardware) and (710/200, 8.cccls. 380/286,44,46,47.cccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/21 11:40
S16 7	9	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware). ab. and (380/286.cccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/21 11:41
S16 8	94	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware) and (380/286.cccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/21 11:41
S16 9	1893	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. cccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 14:36
S17 0	747	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. cccls. and (access near3 control\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 16:02
S17 1	20	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. cccls. and (security adj hardware)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 16:10
S17 2	37	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. cccls. and (secure adj mode)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 16:30

S17 3	5	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (secure adj mode near5 processor)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 18:35
S17 4	1	"6452532".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 18:35
S17 5	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access near6 overrid\$3 adj3 restrcit\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:24
S17 6	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access same overrid\$3 adj3 restrcit\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:24
S17 7	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (overrid\$3 adj3 restrcit\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:25
S17 8	166	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (overrid\$3 adj2 access)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:52
S17 9	9	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (overrid\$3 adj2 access) and 713/200.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:48
S18 0	21483	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (overrid\$3 adj2 access) "713"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:26
S18 1	30	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (overrid\$3 adj2 access) and "713"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:51
S18 2	165	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access with encrypti\$2 with hardware)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:53
S18 3	16	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access with encrypti\$2 with hardware with allow\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:53
S18 4	16	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access with encrypti\$2 with hardware with (allow\$3 permits))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 19:59

S18 5	253	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (black adj box same security)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:04
S18 6	21	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (black adj box same security) and 713/200.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:03
S18 7	29	((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (overrid\$3 adj2 access) and "713"/\$.ccls.) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (black adj box same security) and 713/200.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:03
S18 8	6	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (black adj box same security).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:04
S18 9	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with encrypt\$3 with module) same (secure adj (mode state))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:06
S19 0	146	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with encrypt\$3 with module)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:06
S19 1	3	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (hardware with encrypt\$3 with module) and (secure adj (mode state))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:09
S19 2	116	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (unlock with phone)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:10
S19 3	3	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (unlock with phone).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:23
S19 4	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj1 phone with key adj lock)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:23
S19 5	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj1 phone with keyguard)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:23

S19 6	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (phone with keyguard)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:26
S19 7	17	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (unlock with encrypt\$3 with file)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:28
S19 8	302	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj state)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:28
S19 9	18	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj state).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:35
S20 0	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (keyguard with cell adj1 phone)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:35
S20 1	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (keyguard with phone)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:00
S20 2	88	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (processor with including with random with generator)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:48
S20 3	7	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (processor with including with random with generator).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:49
S20 4	29	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (processor with including with random adj number adj generator)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:50
S20 5	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (processor with including with random adj number adj generator) and secure adj mode	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:51
S20 6	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (processor with including with random adj number adj generator) and secure adj state	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/22 20:51

S20 7	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and "5748888". pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:11
S20 8	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj phone same key adj1 guard)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 14:59
S20 9	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (keyguard same phone)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:00
S21 0	37	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (keypad with lock same phone)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:03
S21 1	115	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj phone same authenticat\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 08:48
S21 2	6	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj phone same authenticat\$3 same lock)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:07
S21 3	20	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj phone same authenticat\$3 same password)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:07
S21 4	22718	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj phone lock near4 key)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:08
S21 5	8	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (cell adj phone same lock near4 key)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 20:24
S21 6	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and "SECURITY CONTROL FOR PERSONAL COMPUTER"	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:14
S21 7	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and "5751950". pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:19
S21 8	395	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((higher adj4 security) same (card or token))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:19

S21 9	378	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((higher adj2 security) same (card or token))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:19
S22 0	125	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ((higher adj2 security) near3 level same (card or token))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:20
S22 1	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (change with (higher adj2 security) near3 level same (card or token))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:21
S22 2	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (access adj to adj resource\$1 same (card or token))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:22
S22 3	592	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (random adj number adj generator same (card or token))	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:23
S22 4	24	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (random adj number adj generator same (card or token)) and 713/200.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:32
S22 5	5692328	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and\ 713/200. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:32
S22 6	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and monotonic adj counter	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 15:35
S22 7	45	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and secure adj memory	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:01
S22 8	4	("4975950" "5919257" "5944821" "5953502").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:01
S22 9	953	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (windows NT "2000")	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:06



S23 0	14	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (windows NT "2000").ab.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:12
S23 1	4	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (monotonic adj counter)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:46
S23 2	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and "system and method for authenticating and Operating system to a central"	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:47
S23 3	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and ("system and method for authenticating and Operating system to a central").ti.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:47
S23 4	1893	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:52
S23 5	1893	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/24 16:52
S23 6	1437	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls.	USPAT	OR	OFF	2004/10/24 17:40
S23 7	1130	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (device)	USPAT	OR	OFF	2004/10/24 17:40
S23 8	117	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (device).ti.	USPAT	OR	OFF	2004/10/24 17:42
S23 9	20	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (device).ti. and (secur\$3 with mode)	USPAT	OR	OFF	2004/10/24 18:18
S24 0	29	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (computer with access).ti.	USPAT	OR	OFF	2004/10/24 18:06

S24 1	14	("4405829" "4799258" "4890323" "4969188" "5276737" "5315658" "5375243" "5377269" "5432851" "5485519" "5511122" "5537540" "5590199" "5666415").pn.	USPAT	OR	OFF	2004/10/24 18:12
S24 2	8	("4211919" "4453074" "4458109" "4471216" "4484027" "4672533" "4679226" "4713753").pn.	USPAT	OR	OFF	2004/10/24 18:12
S24 3	18	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (network with authentikat\$3).ti.	USPAT	OR	OFF	2004/10/24 18:21
S24 4	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (random adj number adj generator with authentikat\$3).ab.	USPAT	OR	OFF	2004/10/24 18:21
S24 5	11	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (random adj number adj generator with authentikat\$3)	USPAT	OR	OFF	2004/10/24 18:23
S24 6	1	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and 713/200. ccls. and (random adj number adj generator with (request\$3 or send\$3) with authentikat\$3)	USPAT	OR	OFF	2004/10/24 18:37
S24 7	1	"5963142".pn.	USPAT	OR	OFF	2004/10/24 19:20
S24 8	1	"6038321".pn.	USPAT	OR	OFF	2004/10/24 19:41
S24 9	1	"6385737".pn. and random	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/29 15:54
S25 0	1	"6385737".pn. and flag\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/29 16:21
S25 1	1	"6385737".pn. and NVRAM	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/29 16:21
S25 2	29	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with access same random adj number adj generator)	US-PGPUB; USPAT; EPO	OR	OFF	2004/10/29 16:34

S25 3	24	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with access same random adj number adj generator)	USPAT; EPO	OR	OFF	2004/10/29 16:35
S25 4	251	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (authenticat\$3 same random adj number adj generator)	USPAT; EPO	OR	OFF	2004/10/29 16:36
S25 5	132	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (authenticat\$3 with random adj number adj generator)	USPAT; EPO	OR	OFF	2004/10/29 16:36
S25 6	1	"6581162".pn. and (memory filter\$1 battery access input oupt input adj1 output counter\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:09
S25 7	1	"5615263".pn. and (memory filter\$1 battery access input oupt input adj1 output counter\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:08
S25 8	1	"5615263".pn. and (memory)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 14:58
S25 9	0	"5615263".pn. and (timer tim\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:09
S26 0	0	"5615263".pn. and (timer tim\$3 time)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:09
S26 1	1	"6581162".pn. and (time timer tim\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:09
S26 2	5536787	@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") (timer same secure adj mode	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:11
S26 3	23961428	@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") (timer with secure adj mode	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:11
S26 4	23961427	@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") (timer near15 secure adj mode	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:11
S26 5	9	@ad<"20010510" or @rlad<"20010510" or @prad<"20010510")and (timer same secure adj mode	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:32

S26 6	2464	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer same exit)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:32
S26 7	311	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer same exit with mode)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:33
S26 8	113	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with exit with mode) not (@ad<"20010510" or @rlad<"20010510" or @prad<"20010510")and (timer same secure adj mode)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/01 15:34
S26 9	26	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with exit with mode) not (@ad<"20010510" or @rlad<"20010510" or @prad<"20010510")and (timer same secure adj mode) and security	USPAT; EPO	OR	OFF	2004/11/01 15:34
S27 0	98	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with exit with mode) not (@ad<"20010510" or @rlad<"20010510" or @prad<"20010510")and (timer same secure adj mode)	USPAT; EPO	OR	OFF	2004/11/01 15:35
S27 1	98	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with exit with mode) not (@ad<"20010510" or @rlad<"20010510" or @prad<"20010510")and (timer same secure adj mode) and ((switch leave exit) with mode)	USPAT; EPO	OR	OFF	2004/11/01 15:35
S27 2	98	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with exit with mode) not (@ad<"20010510" or @rlad<"20010510" or @prad<"20010510")and (timer same secure adj mode) and ((switch leave exit enter) with mode)	USPAT; EPO	OR	OFF	2004/11/01 15:40

S27 3	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with exit with mode) not (@ad<"20010510" or @rlad<"20010510" or @prad<"20010510")and (timer same secure adj mode) and ((switch leave exit enter) with mode) and deadlock	USPAT; EPO	OR	OFF	2004/11/01 15:41
S27 4	497	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer)and deadlock	USPAT; EPO	OR	OFF	2004/11/01 15:41
S27 5	65	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer same deadlock)	USPAT; EPO	OR	OFF	2004/11/01 15:43
S27 6	7136	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer same threshold)	USPAT; EPO	OR	OFF	2004/11/01 15:43
S27 7	3841	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with threshold)	USPAT; EPO	OR	OFF	2004/11/01 15:46
S27 8	211	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with threshold with mode)	USPAT; EPO	OR	OFF	2004/11/01 15:44
S27 9	22	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with threshold with mode with (switch change exit leave re adj1 enter))	USPAT; EPO	OR	OFF	2004/11/01 16:01
S28 0	54	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with threshold) same (mode with (switch change exit leave re adj1 enter))	USPAT; EPO	OR	OFF	2004/11/01 15:47
S28 1	32	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with threshold) same (mode with (switch change exit leave re adj1 enter)) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer with threshold with mode with (switch change exit leave re adj1 enter)))	USPAT; EPO	OR	OFF	2004/11/01 16:01

S28 2	176	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (timer) same (multi adj1 (user task\$3))	USPAT; EPO	OR	OFF	2004/11/01 15:54
S28 3	0	"6044471.pn"	USPAT; EPO	OR	OFF	2004/11/01 15:55
S28 4	1	"6044471".pn.	USPAT; EPO	OR	OFF	2004/11/01 15:55
S28 5	1	"6044471".pn. and (tim\$3)	USPAT; EPO	OR	OFF	2004/11/01 15:55
S28 6	39	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (time\$3 with (switch change exit leave re adj1 enter) with secur\$4) and secure adj mode	USPAT; EPO	OR	OFF	2004/11/01 16:15
S28 7	1	"5748888".pn. and password	USPAT; EPO	OR	OFF	2004/11/01 16:18
S28 8	1	"6581162".pn. and password	USPAT; EPO	OR	OFF	2004/11/01 19:10
S28 9	28	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with timer ) not ((@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure with session with limited with time)) and ("380"/\$ "713"/\$ "709"/\$).cccls.	USPAT; EPO	OR	OFF	2004/10/17 11:18
S29 0	1	"5155680".pn. and (random or number or encrypt)	USPAT; EPO	OR	OFF	2004/10/17 15:24
S30 3	690	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj memory)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 08:47
S30 4	52	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj memory) and (secure adj mode)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 08:48
S30 5	13	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (secure adj memory) same(secure adj mode)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 09:29
S30 6	36	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (error same predetermined adj response)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 09:29
S30 7	16	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (error with predetermined adj response)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 09:33

S30 8	156	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (error with access adj2 denied)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 09:33
S30 9	146	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (error with access adj denied)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 09:34
S31 0	24	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (error near3 access adj denied)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 09:36
S31 1	0	(@ad<"20010510" or @rlad<"20010510" or @prad<"20010510") and (error near3 access adj denied).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/08 09:36